



DOOR GRILLES SPECIFICATION SHEET

<p style="font-size: small; margin-top: 5px;">LIFETIME AIR DISTRIBUTION ADVANTAGE</p>	<p>RETURN GRILLE DOOR/TRANSFER GRILLES MODELS: DG-1, DG-2, DG-3</p>
SUSTAINABLE EXTRUDED ALUMINUM	

Dimensions are in inches (mm)

<p>DG-1</p>	<p style="font-size: x-small; margin-top: 5px;">NOM. -1/4"</p>	<p style="font-size: x-small; margin-top: 5px;">Listed Height Size 11/16" 5/16" NOM. -1/4"</p>	<p><input type="checkbox"/> DG-1 Core only Door/Transfer Grille</p> <p><input type="checkbox"/> DG-2 Single Flange Door/Transfer Grille</p> <p><input type="checkbox"/> DG-3 Double Flange Door/Transfer Grille</p>
<p>DG-2</p>	<p style="font-size: x-small; margin-top: 5px;">NOM. +2"</p>	<p style="font-size: x-small; margin-top: 5px;">3/8" Single Flange Listed Height Size 11/16" 5/16"</p>	
<p>DG-3</p>	<p style="font-size: x-small; margin-top: 5px;">NOM. +2"</p>	<p style="font-size: x-small; margin-top: 5px;">3/8" double flange Listed Height Size 11/16" 5/16" Normal + 2" 1-3/8" TO 1-7/8"</p>	

DESCRIPTION:

1. Construction: Frame and blades are 6063 extruded aluminum alloy with 200-R1 satin anodized finish.
2. Blades are chevron in configuration and are mounted in a fixed position in a rigid PVC track which is an integral part of the frame. It adjusts to suit a door thickness from 1 3/8" to 1 7/8". This configuration will eliminate noise, corrosion and vibration.
3. The core free area of this unit is 60%. It is a completely sight-proof design.
4. Listed sizes 10" x 6" (254 x 152) through 30" x 30" (762 x 762). Other sizes are available.
5. Standard finish is Anodized. Other finishes are available.

- OPTIONS:**
1. Finish
 - ANOD Clear Anodized
 - MB Medium Bronze
 - B Black
 - Custom _____
 2. Frame
 - S Single Flange
 - D Double Flange
 3. Frame style
 - Beveled Frame

PROJECT:			
ENGINEER:	DATE:	SERIES:	DRAWING NO.:
CONTRACTOR:			

AirGuide Manufacturing, LLC. reserves the right to change any information concerning product or pricing without notice.



#2 Chootoo Road, South Aranguez, San Juan, Trinidad

